# 28" Ultra-Wide Stretched Bar Displays



Perfect as a banner-style endcap display in retail stores and supermarkets


# Versatile Retail Solution

Whether being used as part of an end-aisle display or as a unique individual screen, this solution offers a versatile range of possible applications. The flexibility of portrait or landscape use and the ultra-wide aspect ratio make them the perfect accompaniment for our LCD Shelf Edge Displays.

## Synchronise Multiple Displays

The multi-screen synchronisation function allows you to place multiple displays side-by-side and run attention-grabbing content seamlessly across the entire promotional endcap.





# **Streamlined Enclosure**

Designed to maximise the impact of content, these displays feature a sleek, narrow bezel. This is especially important when placing multiple screens together. The compact design also adds to the aesthetic and reduces strain on shelf edges.



# **IPS Panel**

Ideal for portrait use, commercial grade IPS panels guarantee incredible image quality and colour depth at an ultra-wide viewing angle in any direction without any fall-off in colour accuracy.



## **Multiple Media Zones**

Create engaging content that utilises in text and even live webpages by sectioning the display into different media zones.

**\IPS** 



## 24/7 Commercial Grade

Designed for supermarkets and other retail spaces, these displays utilise a commercial grade LCD panel, LED backlight and internal components. This means they can run constantly 24/7 for over 70,000 hours.





# 700cd/m<sup>2</sup> High Brightness

Designed for brightly-lit retail spaces, these displays are sure to make your content really stand out with more than twice the brightness level of a standard domestic TV.



# Free Network Upgrade

These displays come with a free upgrade to unlock network CMS functionality. The built-in Android media player also allows you to easily update the screen via USB plug and play or using thirdparty software if necessary.



VETWOR

## **Clear HD Resolution**

Unlike DV-LED stretched displays, this solution uses a full HD LCD panel to provide a clear image and fine details. This high resolution is essential to be able to read text at close proximity and also produces the best results when showing video.




#### **Multiple Inputs**

If you need to use the screen as a monitor, you can connect it to an external source, such as a third-party PC or media player, using the HDMI or VGA and 3.5mm audio jack inputs.





# **Key Features**




# Specification Table

Colour         16.7M           Viewing Angle         89°           Contrast Ratio         1.200:1           Viewing Angle         1.200:1           Viewing Angle         1.200:1           Viewing Angle         1.200:1           Viewing Angle         1.200:1           Autio         Autio           Autio         Autio           Autio         Autio           Power         Autio           Input Voltage         Actio-240V (S0Hz-60Hz)           Unit Size (Wirkb0 mm)         738x17:x46.9           Package Size (WAHAD mm)         TBC           Corsos Weight (Kg)         TBC           Gross Weight (Kg)         TBC           Gross Weight (Kg)         TBC           Operating Temperature         0°C to 40°C           Storage Temperature         0°C to 40°C           Storage Temperature         100°C to 60°C           Operating Temperature         10°C to 40°C           Storage Temperature         10°C to 40°C           Gross Weight (Kg)         TBC           Media Formats         Video (MPG, AVI, MP4, RM, RMVE, TS), Audio (MP3, WMA), Image (JPC, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMVE, TS), Audio (MP3, WMA), Image (JPC, GIF, BMP,			28 Inch
Aspect Ratiof.apect Ratio16:3Panel Panel PanelMightness (cd/m?)700Colour16.7M700Viewing Angle89°Contrast Ratio1.200:1AudioAudioScheck (3.5mm)Power Consumption (W)<30	Panel	Resolution	1920x360
Brightness (cd/m <sup>3</sup> )         700           Colour         1.6.7M           Viewing Angle         89°           Contrast Itatio         1.200.1           Aufolo         Audio           Audio         Audio           Power Consumption (W)         <30		Display Area (mm)	702x134
Colour         16.7M           Viewing Angle         89°           Contrast Ratio         1.200.1           Video         HDMI, VGA           Avl Inputs         Video           Power         Audio           Input Voltage         Actio - 240V (SpHz-60Hz)           Input Voltage         AC10-240V (SpHz-60Hz)           Unit Size (WxHxD mm)         738x17x44.9           Package Size (WXHxD mm)         TBC           Package Size (WXHxD mm)         TBC           Video (mm)         75x75           Rechanical         Video (mm)           Net Weight (Kg)         TBC           Carses Weight (Kg)         TBC           Storage Temperature         -0°C to 40°C           Storage Temperature         -10°C to 60°C           Operating Temperature         -10°C to 60°C           Storage Humidity         10% to 85%           Storage Humidity         10% to 85%           Storage Humidity         10% to 65%           Storage Humidity         10% to 85%		Aspect Ratio	16:3
Viewing Angle         89°           Contrast Ratio         1,200.1           Aution         1,200.1           Aution         Autio           Aution         Autio Socket (3.5 mm)           Power         Oneor Consumption (W)         <30		Brightness (cd/m <sup>2</sup> )	700
Contrast Ratio1.200:1AVI InputsVideoHDMI, VGAAvidioAudio Socket (3.5mm)PowerPower Consumption (W)<30		Colour	16.7M
Video         HDM; VGA           AV Inputs         Audio         Audio         Audio           Avaire         Audio         Audio Socket (3.5mm)           Pover         Input Voltage         -30           Input Voltage         AC110-240V (50Hz-60Hz)           Input Voltage         AC110-240V (50Hz-60Hz)           Package Size (WxHxD mm)         738/171x46.9           Package Size (WxHxD mm)         TBC           VESA Holes (mm)         75x75           Net Weight (Kg)         TBC           Gross Weight (Kg)         TBC           Gross Weight (Kg)         TBC           Storage Temperature         0°C to 40°C           Operating Temperature         0°C to 40°C           Operating Humidity         10% to 85%           Storage Humidity         5% to 95%           Kedia Resolution         1920x360           CPU         Quad-Core ARM Cortex A17, 1.6GHz           GPU         Quad-Core ARM Mali-1764           RAM         DDR3 2GB           Internal Storage         8GB eMMC           LAN         100M/1000M Ethernet (Network Version Only)           WFi         Bluetooth         Bluetooth 4.0           QS         GAM         100M-1000M Ethernet (Net		Viewing Angle	89°
All log         Audio           Available         Audio Socket (3.5mm)           Power         Rover Consumption (W)         <30		Contrast Ratio	1,200:1
Addo         Addo           Power Cnsumption (W)         <30	AV Inputs	Video	HDMI, VGA
Power         Input Voltage         AC110-240V (50H2-60H2)           Input Voltage         AC110-240V (50H2-60H2)           Package Size (WxHxD mm)         738x171x46.9           Package Size (WxHxD mm)         TBC           VESA Holes (mm)         75x75           Net Weight (Kg)         TBC           Gross Weight (Kg)         TBC           Gross Weight (Kg)         0°C to 40°C           Operating Temperature         0°C to 40°C           Operating Humidity         10% to 85%           Storage Temperature         10°C to 60°C           Operating Humidity         Storage Temperature           Operating Humidity         Storage Temperature           Video (MPG, AVI, MP4, RM, RMKE, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMKE, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Resolution         1202x360           CPU         Quad-Core ARM Cortex A17, 1.6GHz           GPU         Quad-Core ARM Mail-T764           RAM         DDR3 2GB           Internal Storage         8GB eMMC           UXFI         Bluetooth           OS         Android 7.1           Gros         Android 7.1           OpenGL ES 1.1/2.07.3/0.31. OpenCL 1		Audio	Audio Socket (3.5mm)
Input Voltage         AC110-240V (50Hz-60Hz)           Unit Size (WxHxD mm)         738x171x46.9           Package Size (WxHxD mm)         TBC           VESA Holes (mm)         TBC           VESA Holes (mm)         TBC           Reversite (Kg)         TBC           Gross Weight (Kg)         TBC           Operating Temperature         0°C to 40°C           Storage Temperature         -10°C to 60°C           Operating Temperature         -10°C to 60°C           Operating Humidity         10% to 85%           Storage Humidity         5% to 95%           Keidia Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           CPU         Quad-Core RRM Cortex A17, 1.6GHz           GPU         Quad-Core RRM Cortex A17, 1.6GHz           GPU         Quad-Core RRM Cortex A17, 1.6GHz           GPU         Quad-Core RRM Cortex A17, 1.4GHz           Internal Storage         GRB eMMC           USB         1 x USB (OTG/HOST), 1 x USB (HOST)           LAN         100M/1000M Ethernet (Network Version Only)           Bluetooth         Bluetooth 4.0           GS         Android 7.1	Power	Power Consumption (W)	<30
Package Size (WXHxD mm)         TBC           Mechanical         VESA Holes (mm)         75x75           Net Weight (Kg)         TBC           Gross Weight (Kg)         TBC           Gross Weight (Kg)         TBC           Perating Temperature         0°C to 40°C           Operating Temperature         0°C to 40°C           Operating Humidity         10% to 85%           Storage Temperature         10% to 65%           Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Resolution         1202x360           CPU         Quad-Core ARM Cortex A17, 1.6GHz           GPU         Quad-Core ARM Mail-T764           RAM         DDB3 2GB           Internal Storage         Internal Storage           Internal Storage         100M/1000M Ethernet (Network Version Only)           Wi-Fi         802.11b/g/n/ac (Network Version Only)           Bileetooth         Bluetooth 4.0           GS         Android 7.1           Graphic Engine         OpenGL ES 1.1/2.0/3.0/3.1, OpenGL 1.1, Renderscript, Direct3D 11.1           Accessories         Included         Scheduling Software, Remote Control, User Manual </td <td>Input Voltage</td> <td>AC110~240V (50Hz~60Hz)</td>		Input Voltage	AC110~240V (50Hz~60Hz)
Mechanical         VESA Holes (mm)         75x75           Net Weight (Kg)         TBC           Gross Weight (Kg)         TBC           Gross Weight (Kg)         TBC           Storage Temperature         0°C to 40°C           Storage Temperature         0°C to 50°C           Operating Humidity         10% to 85%           Storage Humidity         5% to 95%           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Resolution         1920x360           CPU         Quad-Core ARM Cortex A17, 1.6GHz           GPU         Quad-Core ARM Mali-T764           RAM         DDR3 2GB           Internal Storage         8GB eMMC           USB         11 x USB (OTG/HOST), 1 x USB (HOST)           LAN         100M/1000M Ethernet (Network Version Only)           Bluetooth         Bluetooth 4.0           OS         Android 7.1           Graphic Engine         OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included         Scheduling Software, Remote Control, User Manual           Warranty         Warranty Period         3 Year Warranty	Mechanical	Unit Size (WxHxD mm)	738x171x46.9
Net Weight (Kg)         TBC           Gross Weight (Kg)         TBC           Gross Weight (Kg)         TBC           Operating Temperature         0°C to 40°C           Storage Temperature         10°C to 60°C           Operating Humidity         10% to 85%           Storage Humidity         5% to 95%           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           GPU         Quad-Core ARM Mali-T764           RAM         DDR3 2GB           Internal Storage         GBB eMMC           USB         1 x USB (OTG/HOST), 1 x U		Package Size (WxHxD mm)	TBC
Gross Weight (Kg)         TBC           Operating Temperature         0°C to 40°C           Storage Temperature         -10°C to 60°C           Operating Humidity         10% to 85%           Storage Humidity         5% to 95%           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Resolution         1920x360           CPU         Quad-Core ARM Cortex A17, 1.6GHz           GPU         Quad-Core ARM Mali-T764           RAM         DDR3 2GB           Internal Storage         8G8 eMMC           USB         1 x USB (TGG/HOST), 1 x USB (HOST)           LAN         100M/1000M Ethernet (Network Version Only)           Wi-Fi         802.11b/g/n/ac (Network Version Only)           Bluetooth         Bluetooth 4.0           OS         Android 7.1           Grosinal (Engine         OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included         Scheduling Software, Remote Control, User Manual           Warranty         Warranty Period         3 Year Warranty		VESA Holes (mm)	75x75
Operating Temperature         O°C to 40°C           Environmental         Storage Temperature         -10°C to 60°C           Operating Humidity         10% to 85%           Storage Humidity         5% to 95%           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Resolution         1920x360           CPU         Quad-Core ARM Cortex A17, 1.6GHz           GPU         Quad-Core ARM Mali-T764           RAM         DDR3 2GB           Internal Storage         8GB eMMC           USB         1 x USB (OTG/HOST), 1 x USB (HOST)           LAN         100M/1000M Ethernet (Network Version Only)           Wi-Fi         802.11b/g/n/ac (Network Version Only)           Bluetooth         Bluetooth 4.0           OS         Android 7.1           Graphic Engine         OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included         Scheduling Software, Remote Control, User Manual           Warranty         Warranty Period         3 Year Warranty		Net Weight (Kg)	ТВС
Environmental         Storage Temperature         -10°C to 60°C           Operating Humidity         10% to 85%           Storage Humidity         5% to 95%           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Resolution         1920x360           CPU         Quad-Core ARM Cortex A17, 1.6GHz           GPU         Quad-Core ARM Mali-T764           RAM         DDR3 2GB           Internal Storage         8GB eMMC           USB         1 x USB (OTG/HOST), 1 x USB (HOST)           LAN         1000M/1000M Ethernet (Network Version Only)           Wi-Fi         802.11b/g/n/ac (Network Version Only)           Bluetooth         Bluetooth 4.0           OS         Android 7.1           Graphic Engine         OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included         Scheduling Software, Remote Control, User Manual           Warranty         Warranty         Warranty         Warranty		Gross Weight (Kg)	ТВС
Environmental         Operating Humidity         10% to 85%           Storage Humidity         5% to 95%           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Resolution         1920x360           CPU         Quad-Core ARM Cortex A17, 1.6GHz           GPU         Quad-Core ARM Mali-T764           RAM         DDR3 2GB           Internal Storage         8GB eMMC           USB         1 x USB (OTG/HOST), 1 x USB (HOST)           LAN         100M/1000M Ethernet (Network Version Only)           Wi-Fi         802.11b/g/n/ac (Network Version Only)           Bluetooth         Bluetooth 4.0           OS         Android 7.1           Graphic Engine         OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included         Scheduling Software, Remote Control, User Manual           Warranty         Warranty Period         3 Year Warranty	Environmental	Operating Temperature	0°C to 40°C
Operating Humidity         10% to 85%           Storage Humidity         5% to 95%           Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Resolution         1920x360           CPU         Quad-Core ARM Cortex A17, 1.6GHz           GPU         Quad-Core ARM Mali-T764           RAM         DDR3 2GB           Internal Storage         8GB eMMC           USB         1 x USB (OTG/HOST), 1 x USB (HOST)           LAN         0000/1000M Ethernet (Network Version Only)           Wi-Fi         802.11b/g/n/ac (Network Version Only)           Bluetooth         0           Opendic Engine         Opendic ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included         Scheduling Software, Remote Control, User Manual           Warranty         Warranty Period         Xearsories		Storage Temperature	-10°C to 60°C
Media Formats         Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)           Media Resolution         1920x360           CPU         Quad-Core ARM Cortex A17, 1.6GHz           GPU         Quad-Core ARM Mali-T764           RAM         DDR3 2GB           Internal Storage         8GB eMMC           USB         1 x USB (OTG/HOST), 1 x USB (HOST)           LAN         100M/1000M Ethernet (Network Version Only)           Wi-Fi         802.11b/g/n/ac (Network Version Only)           Bluetooth         0           OS         Android 7.1           Graphic Engine         OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included         Scheduling Software, Remote Control, User Manual           Warranty         Warranty Period         3 Year Warranty		Operating Humidity	10% to 85%
Media Resolution1920x360CPUQuad-Core ARM Cortex A17, 1.6GHzGPUQuad-Core ARM Cortex A17, 1.6GHzRAMDDR3 2GBInternal Storage8GB eMMCUSB1 x USB (OTG/HOST), 1 x USB (HOST)LAN100M/1000M Ethernet (Network Version Only)Wi-Fi802.11b/g/n/ac (Network Version Only)Bluetooth0OSAndroid 7.1Graphic EngineOpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1AccessoriesOptionalWarrantyWarranty PeriodWarrantyWarranty Period		Storage Humidity	5% to 95%
ComputerCPUQuad-Core ARM Cortex A17, 1.6GHzGPUQuad-Core ARM Mali-T764RAMDDR3 2GBInternal Storage8GB eMMCUSB1 x USB (OTG/HOST), 1 x USB (HOST)LAN100M/1000M Ethernet (Network Version Only)Wi-Fi802.11b/g/n/ac (Network Version Only)BluetoothBluetooth 4.0OSAndroid 7.1Graphic EngineOpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1AccessoriesIncludedWarrantyWarranty Period	Computer	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)
GPUQuad-Core ARM Mali-T764RAMDDR3 2GBInternal Storage8GB eMMCUSB1 x USB (OTG/HOST), 1 x USB (HOST)LAN100M/1000M Ethernet (Network Version Only)Wi-Fi802.11b/g/n/ac (Network Version Only)Bluetooth00OSAndroid 7.1Graphic EngineOpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1AccessoriesIncludedWarrantyWarranty PeriodMarrantyWarranty Period		Media Resolution	1920x360
RAM         DDR3 2GB           Internal Storage         8GB eMMC           USB         1 x USB (OTG/HOST), 1 x USB (HOST)           LAN         100M/1000M Ethernet (Network Version Only)           Wi-Fi         802.11b/g/n/ac (Network Version Only)           Bluetooth         Bluetooth 4.0           OS         Android 7.1           Graphic Engine         OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included         Scheduling Software, Remote Control, User Manual           Optional         Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand           Warranty         Warranty Period         3 Year Warranty		CPU	Quad-Core ARM Cortex A17, 1.6GHz
ComputerInternal Storage8GB eMMCUSB1 x USB (OTG/HOST), 1 x USB (HOST)LAN100M/1000M Ethernet (Network Version Only)Wi-Fi802.11b/g/n/ac (Network Version Only)BluetoothBluetooth 4.0OSAndroid 7.1Graphic EngineOpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1AccessoriesIncludedOptionalNetwork Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table StandWarrantyWarranty Period3 Year Warranty		GPU	Quad-Core ARM Mali-T764
Computer         USB         1 x USB (OTG/HOST), 1 x USB (HOST)           LAN         100M/1000M Ethernet (Network Version Only)           Wi-Fi         802.11b/g/n/ac (Network Version Only)           Bluetooth         Bluetooth 4.0           OS         Android 7.1           Graphic Engine         OpenGLES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included           Optional         Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand           Warranty         Warranty Period         3 Year Warranty		RAM	DDR3 2GB
USB         1 x USB (OTG/HOST), 1 x USB (HOST)           LAN         100M/1000M Ethernet (Network Version Only)           Wi-Fi         802.11b/g/n/ac (Network Version Only)           Bluetooth         Bluetooth 4.0           OS         Android 7.1           Graphic Engine         OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included         Scheduling Software, Remote Control, User Manual           Warranty         Warranty Period         3 Year Warranty		Internal Storage	8GB eMMC
Wi-Fi         802.11b/g/n/ac (Network Version Only)           Bluetooth         Bluetooth 4.0           OS         Android 7.1           Graphic Engine         OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included           Optional         Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand           Warranty         Warranty Period		USB	1 x USB (OTG/HOST), 1 x USB (HOST)
Bluetooth         Bluetooth         Bluetooth         Bluetooth         Accessories         Bluetooth         Accessories         Included         OpenGL         Scheduling         Software, Remote Control, User Manual           Varranty         Warranty Period         Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand		LAN	100M/1000M Ethernet (Network Version Only)
OS         Android 7.1           Graphic Engine         OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included         Scheduling Software, Remote Control, User Manual           Optional         Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand           Warranty         Warranty Period         3 Year Warranty		Wi-Fi	802.11b/g/n/ac (Network Version Only)
Graphic Engine         OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1           Accessories         Included         Scheduling Software, Remote Control, User Manual           Optional         Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand           Warranty         Warranty Period         3 Year Warranty		Bluetooth	Bluetooth 4.0
Included         Scheduling Software, Remote Control, User Manual           Optional         Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand           Warranty         Warranty Period         3 Year Warranty		OS	Android 7.1
Accessories Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Warranty Period 3 Year Warranty		Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1
Optional         Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand           Warranty         Warranty Period         3 Year Warranty	Accessories	Included	Scheduling Software, Remote Control, User Manual
Warranty		Optional	Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand
	Warranty	Warranty Period	3 Year Warranty
		Technical Support	Lifetime

#### Errors and omissions excepted





# Why Choose Our Commercial Display Solutions?

