

VIEWBOARD

ViewBoard IFP7533-G

Key Features

- Integrated with myViewBoard software
- Multi-tasking capabilities for enhanced lesson delivery
- Embrace simplicity and organization with the USB-C one-cable solution, offering 65W of Power Delivery.
- Intuitive user interface and fast app launch for smooth operation
- Powered by Android 13










Product **Description**

The ViewBoard IFP33 Series harmonises a touch display with versatile software to create a comprehensive classroom solution for interactive and engaging learning. This interactive flat panel delivers exceptional image quality in 4K UHD, thanks to cutting-edge bonding technology that provides clearer colours, enhanced contrast, and reduced glare. The 40-point touchscreen interface, equipped with Ultra Fine Touch Technology, empowers students and teachers to collaborate seamlessly, using either their fingers or dual-tip pens, for an intuitive pen-on-paper experience. Powerful built-in front-facing speakers and a USB-C port sort out for a complete and convenient multimedia experience. The ViewBoard IFP33 Series is preinstalled with myViewBoard to offer advanced lesson delivery options for teachers and powerful device management tools for administrators.





- 1. POWER ON/OFF
- 2. USB C 3. HDMI 1
- 4. TOUCH 1
- 5. USB 3.0x2
- 6. OPS Slot
- 7. RS-232
- 8. LAN 9. USB 2.0x2 10. TOUCH 2
- 11. HDMI 2
- 12. HDMI 3 13. HDMI OUT
- 14. USB

15. VESA® Wall Mount (800x400mm) 22. Wi-Fi Slot

23. Sensor Mount

- 17. AUDIO in 18. AUDIO out
- 19. VGA
- 20. Power On/OFF 21. AC IN

Visit Us

www.viewsonic.com



ViewBoard IFP7533-G ViewBoard
E
75"
TFT LCD Module with DLED Backlight. IPS
1649.664(H) × 927.936(V) (74.6" diagonal)
16:9
UHD 3840x2160(Pixels)
1.07B colors
450 nits
5000:1 (max. with DCR enabled)
8ms
H=178, V=178
50,000 Hours (8 hours of use per day)
Hardness: 7H Anti- glare coating
Landscape
E
Quad-core ARM Cortex (A55*4)
8GB DDR4
128 GB
Ultra Fine Touch Technology
40 points touch
HDMI-IN 2.0 x 3 (3840x2160 @60Hz)
x1
x1
x1
x1 (Optional Intel Standard OPS)
x1 (Optional VB-WIFI- 004/VSB050)
HDMI 2.0 x1
x1
x2
USB3.0 x4 (Front x2, Rear x2); USB2.0 x1
x2 (Front x1, Rear x1)
Frontx1 (PD65W + DP1.2 + Data USB2.0 + 10M/100M sharing)

BUNDLE SOFTWARE

Wireless Presentation with Touch Feedback: Viewboard Cast:	Yes
Wireless Presentation:	myViewBoard Display
Pro Annotation Software:	myViewBoard for Windows (Embedded in optional Windows Slot- in PC)
Basic Annotation Software:	myViewBoard Whiteboard

All-in-one USB port:	(combine slot-in PC/Android/HDMI USB port) Front "SmartPort™ USB" to all channels.
Simple LAN sharing between IFP and slot-in device:	10/100M for Android &

Light Sensor: Yes

POWER

Voltage:	100-240V AC
Consumption:	ON: 106W ; Off: ≤ 0.5W

ERGONOMICS

Wall Mount (VESA®):	800x400	
----------------------	---------	--

OPERATING CONDITIONS

Temperature (° C):	0°C to 40°C
Humidity:	20% ~ 80% RH non- condensing

DIMENSIONS (W X H X D)

Physical (inch / mm):	67.3 x 40.2 x 3.5 in
Packaging (inch / mm):	1863 x 1140 x 225 mm / 73.3x 44.9 x 8.6 in

WEIGHT

Net (lb / kg):	104.3lb/47.3kg
Gross (lb / kg):	133.5lb/60.55kg

REGULATIONS

FCC/ICES003, EPEAT, CE EMC, LVD or CB, RoHS Green BOM & RoHS DoC, ErP, REACH SVHC List & DoC, EEL, WEEE, BSMI,BIS

PACKAGE CONTENTS

1. 3m power cord by ship area 2. Remote control with AAA battery 3. 3m touch USB cable 4. Touch pen x 2 (VB-PEN-009) 5. Quick Start Guide + Compliance statement 6. RS232 adapter 7. Clamp x 5 8. Camera Plate 9. Screw x 8 (camera 2+2, wall mount 4) 10. HDMI cable 3m

COMPATIBLE SLOT-IN PC

VPC35-W53-G1/VPC37-W53-G1

EMBEDDED OS

Android 13

Copyright © ViewSonic Corporation 2000-2024. All rights reserved.

